



Euroricambi S.p.a.

Indirizzo / Address :

40056 Crespellano - BO - Italy

Via Chiesaccia, 5

Tel ++39 0516506811

Fax ++39 0516506812

Casella Postale 163 / Post Box 163

40011 Anzola Emilia - Bo - Italy

E-Mail: euroricambi@euroricambi.com

Http : www.euroricambi.com

CATALOGUE

60

2003

CATALOGUE

60-Suitable to MERCEDES

FILE

CBM015.PDF

SIZE

1430 KB

No.Page

34

RELAISE

01/07/2003

MODELS

G125-16/14,0

G135-16/11,9

G155-9/15,9

G155-16/11,9

G155-16/14,0

G180-16/11,9

G180-16/14,0

G200-16/11,9

G210-16/14,2

GO210-8/11,8




G240-16/11,7

GROUP

GEARBOX

Options

ONLY FOR CD-ROM CATALOGUES



From G125-16/14,0 Up to G240-16/11,7

Column 1	G125-16/14,0	714.721
		714.724
		714.731
		714.732
		714.733
	G125-16/14,0 EPS	714.720
		714.730
Column 2	G135-16/11,9	714.723
	G135-16/11,9 EPS	714.722
Column 3	G155-9/15,9	714.741
		714.742
		714.744
		714.745
		714.750
		714.753
		714.754
		714.755
		714.756
		714.757
		714.758
		714.759
Column 4	G155-16/11,9	714.705
		714.709
		714.715
		714.716
		714.717
		714.782
		714.786
		714.787
	G155-16/11,9 EPS	714.704
		714.792
Column 5	G155-16/14,0	714.702
		714.708
		714.710
		714.711
		714.714
		714.719
		714.785
		714.790
		714.791
	G155-16/14,0 EPS	714.701
		714.712
		714.713
Column 6	G180-16/11,9	714.703
		714.780
		714.781
		714.789
		714.794
		714.796

Column 6	G180-16/11,9	714.797
		714.798
		714.799
	G180-16/11,9 EPS	714.700
		714.795
Column 7	G180-16/14,0	714.707
	G180-16/14,0 EPS	714.706
Column 8	G200-16/11,9	715.201
		715.202
		715.220
		715.221
		715.222
		715.225
		715.226
		715.230
		715.232
		715.233
	G200-16/11,9 EPS	715.200
Column 9	G210-16/14,2-0,83	715.241
		715.242
		715.252
		715.253
	G210-16/14,2-0,83 EPS	715.240
Column 10	GO210-8/11,8EPS	714.743
Column 11	G240-16/11,7-0,69	715.261
		715.400
		715.410
		715.411
	G240-16/11,7-0,69 EPS	715.260



NOTES

G125 - G135 - G155 - G180 - G200 - G210 - GO210 - G240

ALPHABETIC ORDER

(A)	Up to Gearbox	300439
(B)	From Gearbox	300440
(C)	Up to Gearbox	058288
(D)	From Gearbox	058289
(E)	Up to Gearbox	182425
(F)	From Gearbox	182426
(G)	Up to Gearbox	297456
(H)	From Gearbox	297457
(J)	Up to Gearbox	433517
(K)	From Gearbox	433518
(L)	Up to Gearbox	176366
(M)	From Gearbox	176367
(N)	Up to Gearbox	183904
(P)	From Gearbox	183905
(Q)	Up to Gearbox	201817
(R)	From Gearbox	201818
(S)	Up to Gearbox	380570
(T)	From Gearbox	380571
(V)	Up to Gearbox dated	06/96
(U)	From Gearbox dated	07/96
(X)	Up to Gearbox	313860
(Y)	From Gearbox	313861
(W)	Old Style	
(Z)	New Style	
(#)	To be coupled together	
(@)	To be coupled together	
(&)	G155-9/15,9	Excluded Series 714.759
	G200-16/11,9	Excluded Series 715.225-226
(μ)	G240-16/11,7-0,70	Up to Gearbox 339359
(Π)	G240-16/11,7-0,71	From Gearbox 339360
(Æ)	G240-16/11,7-0,71	Up to Gearbox 377395
(P)	Up to Gearbox	438701
(B)	From Gearbox	438702



NOTES

G125 - G135 - G155 - G180 - G200 - G210 - GO210 - G240

NUMERICAL PROGRESSION

(1)		Up to Gearbox No. 375914
(2)		From Gearbox No. 375915
(3)		Up to Gearbox No. 435049
(4)		From Gearbox No. 435050
(5)		1st Version. Do not use with items fig. 24-25
(6)		Old Version. To be used only with old shafts 389 262 1105 (G125/G135) or 389 262 1205 (G155/G180)
(7)		Up to Gearbox No. 088147
(8)	G125-16/14,0	Only for Series 714.720-730
	G135-16/11,9	Only for Series 714.722
(9)	G125-16/14,0	Only for Series 714.721-724-731-732-733
(10)	G135-16/11,9	Only for Series 714.723
(11)	G155-16/11,9	Only for Series 714.704-792. Up to Gearbox No. 182425
	G155-16/14,0	Only for Series 714.701-712-713. Up to Gearbox No. 182425
	G180-16/11,9	Only for Series 714.700-795. Up to Gearbox No. 182425
	G180-16/14,0	Only for Series 714.706. Up to Gearbox No. 182425
(12)	G155-16/11,9	Only for Series 714.704-792. From Gearbox No. 182426
	G155-16/14,0	Only for Series 714.701-712-713. From Gearbox No. 182426
	G180-16/11,9	Only for Series 714.700-795. From Gearbox No. 182426
	G180-16/14,0	Only for Series 714.706. From Gearbox No. 182426
	G200-16/11,9	Only for Series 715.200
	G210-16/14,2	Only for Series 715.240-252
	G240-16/11,7	Only for Series 715.260
(13)	G155-16/14,0	Only for Series 714.702-708-710-714-719-785-790-791. Up to Gearbox No. 182425
	G180-16/14,0	Only for Series 714.707. Up to Gearbox No. 182425
(14)	G155-16/14,0	Only for Series 714.702-708-710-714-719-785-790-791. From Gearbox No. 182426
	G180-16/14,0	Only for Series 714.707. From Gearbox No. 182426
	G240-16/11,7	Only for Series 715.261
(15)	G155-16/11,9	Only for Series 714.705-709-715-716-717. Up to Gearbox No. 182425
	G180-16/11,9	Only for Series 714.703-794-796-797. Up to Gearbox No. 182425
(16)	G155-16/11,9	Only for Series 714.705-709-715-716-717. From Gearbox No. 182426
	G180-16/11,9	Only for Series 714.703-780-781-789-798-799. From Gearbox No. 182426
(17)	G155-16/11,9	Only for Series 714.782-786-787
	G180-16/11,9	Excluded Series 714.700-794-795-796-797
	G200-16/11,9	Only for Series 715.201-202
	G210-16/14,2	Only for Series 715.241-242-253
(18)	G240-16/11,7	Only for Series 714.261-715.400-410-411
(19)		From Gearbox No. 073830
(20)	G125-16/14,0	Only for Series 714.720-730
	G135-16/11,9	Only for Series 714.722



NOTES

G125 - G135 - G155 - G180 - G200 - G210 - GO210 - G240

(21)	G125-16/14,0	Only for Series	714.721-724-731-732-733
	G135-16/11,9	Only for Series	714.723
(25)		Alternative to fig.	141-142
(26)		Alternative to fig.	140
(27)	G125-16/14,0	Only for Series	714.720-730
	G135-16/11,9	Only for Series	714.722
(28)	G125-16/14,0	Only for Series	714.721-724-731-732-733. From Gearbox No. 070419
	G135-16/11,9	Only for Series	714.723. From Gearbox No. 070419
(29)	G155-16/11,9	Only for Series	714.705-709-715-716-717-782-786-787
	G155-16/14,0	Only for Series	714.702-708-710-711-714-719-785-790-791
	G180-16/14,0	Only for Series	714.707. From Gearbox No. 070419
	G180-16/11,9	Only for Series	714.703-780-781-789-794-796-797-798-799
	G200-16/11,9	Only for Series	715.201-202-220-221-222-225-226-230-232-233
	G210-16/14,2	Only for Series	715.241-242-253
	G240-16/11,7	Only for Series	715.261-400-410-411-520
(30)		Do not use for Gearboxes before No.	116086
		From Gearboxes No.	116086 to 207373 use 1 pc. 389 261 1831 + 389 268 1874
(31)		Do not use for Gearboxes before No.	081293
		From Gearboxes No.	081294 to 207373 use 1 pc. 389 261 1831 + 389 268 1874
(32)	G125-16/14,0	Only for Series	714.720-721-730-731-732-733. Up to Gearbox No. 206784
	G155-9/15,9	Only for Series	714.741-742-745-750-753-754-755-758. Up to Gearbox No. 206784
	G155 / G180	All. Up to Gearbox No.	206784
(33)	G125-16/14,0	Only for Series	714.720-721-724-733. From Gearbox No. 206785
	G135-16/11,9	For the Series	714.722-723. From Gearbox No. 206785
	G155-9/15,9	Only for Series	714.741-742-744-745-750-754-756-757-759. From Gearbox No. 206785
	G155-16/11,9	Only for Series	714.704-792-705-709-715-716-782-786-787. From Gearbox No. 206785
	G155-16/14,0	Only for Series	714.701-702-708-710-719-785. From Gearbox No. 206785
	G180-16/11,9	Only for Series	714.700-703-780-781-794-797-798. From Gearbox No. 206785
	G180-16/14,0	Only for Series	714.706-707. From Gearbox No. 206785
	G200-16/11,9	Only for Series	715.200-201-202-220-221-222-225-226. From Gearbox No. 498685
	GO210-8/11,8	Only for Series	714.743. From Gearbox No. 206785
(34)	G125-16/14,0	Only for Series	714.730-731-732. Up to Gearbox No. 323551
	G155-9/15,9	Only for Series	714.753-755-758. Up to Gearbox No. 323551
	G155-16/11,9	Only for Series	714.717. Up to Gearbox No. 323551
	G155-16/14,0	Only for Series	714.712-713-711-714-790-791. Up to Gearbox No. 323551
	G180-16/11,9	Only for Series	714.789-795-796-797. Up to Gearbox No. 323551
(35)	G125-16/14,0	Only for Series	714.730-731-732. From Gearbox No. 323552
	G155-9/15,9	Only for Series	714.753-755-758. From Gearbox No. 323552
	G155-16/14,0	Only for Series	714.712-713-711-714-790-791. From Gearbox No. 323552
	G155-16/11,9	Only for Series	714.717. From Gearbox No. 323552



NOTES

G125 - G135 - G155 - G180 - G200 - G210 - GO210 - G240

(35)	G180-16/11,9	Only for Series	714.789-795-796-797. From Gearbox No. 323552
	G240-16/11,7	Only for Series	715.410-411
(36)		Up to Gearbox No.	206784
(37)		From Gearbox No.	206785
(38)		Up to Gearbox No.	073829
(39)		From Gearbox No.	073830
(40)	G155-16/11,9	Only for Series	714.704-792
	G155-16/14,0	Only for Series	714.701-712-713
	G180-16/11,9	Only for Series	714.700-795
	G180-16/14,0	Only for Series	714.706
	G200-16/11,9	Only for Series	715.200
	G210-16/14,2	Only for Series	715.240-252
	G240-16/11,7	Only for Series	715.260
(41)	G200-16/11,9	Only for Series	715.200-201-202
(42)	G200-16/11,9	Only for Series	715.220-221-222-225-226-230-232-233
(43)		60531096 - 389 262 3810 does not use fig. 52 and fig. 54	
(44)		60531097 - 389 262 7910 does not use fig. 52. It use only fig. 54. Note (K)	
(45)	G200-16/11,9	Excluded Series	715.200-201-202
(46)	G240-16/11,7	Only for Series	715.400-410-411. For this version do not use from fig. 68 to fig. 74. This version use a different cylinder not show in the catalogue
(47)	G200-16/11,9	Only for Series	715.200-201-202
(48)	G200-16/11,9	Only for Series	715.220-221-222-225-226-230-232-233
(49)		This version does not use fig. 88 (389 262 0034)	
(50)		Old Version repl. by: 945 260 4461 new planet carrier + 007 981 3325 new bearing	
(51)		1 pc. 389 262 0708 + 1 pc. 389 262 1425 + 1 pc. 389 262 0773 = 1 pc. 389 262 0808	
(52)	G200-16/11,9	Only for Series	715.200-201-202-220-222-225-226
	G240-16/11,7	Only for Series	715.260-261. Up to Gearbox No. 504541
(53)	G200-16/11,9	Only for Series	715.221-230-232-233
	G240-16/11,7	Only for Series	715.400-410-411. Up to Gearbox No. 504541
(54)	G125 / G135	Latest Version. From Gearbox No.	380571
	G155 / G180	Latest Version. From Gearbox No.	380571
	G155 / GO210	Latest Version. From Gearbox No.	380571
(55)	G155-16/11,9	Only for Series	714.705-709-715-716-717-782-786-787
	G155-16/14,0	Only for Series	714.702-708-710-711-714-719-785-790-791
	G180-16/11,9	Only for Series	714.703-780-781-789-794-796-797-798-799
	G180-16/14,0	Only for Series	714.707
	G200-16/11,9	Only for Series	715.201-202-220-221-222-225-226-230-232-233
	G210-16/14,2	Only for Series	715.241-242-253
(56)	G155-16/11,9	Only for Series	714.704-792
	G155-16/14,0	Only for Series	714.701-712-713
	G180-16/11,9	Only for Series	714.700-795
	G180-16/14,0	Only for Series	714.706



NOTES

G125 - G135 - G155 - G180 - G200 - G210 - GO210 - G240

(56)	G200-16/11,9	Only for Series	715.200
	G210-16/14,2	Only for Series	715.240-252
	G240-16/11,7	Only for Series	715.260
		389 262 1033 + 389 262 1823 replaced the old generation 389 262 0033 / 0333 + 389 262 0023. The latest generation is not interchangeable with the previous one.	
(57)	G240-16/11,7	Only for Series	715.260-261
(58)	G240-16/11,7	Only for Series	715.400-410-411
(59)	G210-16/14,2	Only for Series	715.500 - SA 504715 01
	G240-16/11,7	Only for Series	715.520 - SA 504715 01
		The Series 715.500-520 are not listed in the catalogue	
(60)	G125-16/14,0	Excluded Series	714.731-733
	G155-9/15,9	Excluded Series	714.750-753-755-756-759
	G155-16/11,9	Only for Series	714.704-705-709-782-787-715-792
	G155-16/14,0	Only for Series	714.701-702-708-711-712-713-790
	G180-16/11,9	Only for Series	714.700-703-780-781-795-796-798
(61)	G125-16/14,0	From Gearbox 136223. To be used with the main shaft 389 262 1605	
	G135-16/11,9	From Gearbox 136223. To be used with the main shaft 389 262 1605	
	G155-16/11,9	From Gearbox 129659. To be used with the main shaft 389 262 1505	
	G155-16/14,0	From Gearbox 129659. To be used with the main shaft 389 262 1505	
	G180-16/11,9	From Gearbox 129659. To be used with the main shaft 389 262 1505	
	G180-16/14,0	From Gearbox 129659. To be used with the main shaft 389 262 1505	
	G200-16/11,9	From Gearbox 129659. To be used with the main shaft 389 262 1505	
(62)	G125-16/14,0	Only for Series	714.720-721-730-731-732-733
(63)	G125-16/14,0	Only for Series	714.724
(64)	G240-16/11,7	Only for Series	715.400-410-411
(67)	G240-16/11,7	Only for Series	715.410-411.
(68)	G240-16/11,7	Up to Gearbox No. 405419. Only for Series 715.260-261-400-410	
(69)	G240-16/11,7	Up to Gearbox No. 405420. Only for Series 715.260-261-400-410	
(70)	G240-16/11,7	Only for Series	715.411
(71)	G240-16/11,7	Only for Series 715.260-261. Up to Gearbox No. 405419	
(71a)	G240-16/11,7	Only for Series 715.260-261. From Gearbox No. 405420	
(72)	G240-16/11,7	Only for Series 715.400-410. Up to Gearbox No. 404076	
(72a)	G240-16/11,7	Only for Series 715.400-410. From Gearbox No. 404077	
(73)	G240-16/11,7	Excluded Series	715.410-411
(74)	G240-16/11,7	Only for Series	715.260
(80)	G240-16/11,7	Only for Series 715.260-261. From Gearbox No. 504542	
(81)	G125-16/14,0	Only for Series	714.720-721-730-731-732-733
(82)	G125-16/14,0	Only for Series	714.724
	G135-16/11,9	Only for Series	714.722-723
(83)	1 st Generation: 389 262 0009 + 389 260 0097 used together replaced by New Generation composed by 389 262 0409 + 389 260 0297		



NOTES

G125 - G135 - G155 - G180 - G200 - G210 - GO210 - G240

VARIOUS

(*)	Alternative Version. Different from 60530518 for the different material but perfectly interchangeable.
(****)	Alternative Version. Different from 60530684 for the different material but perfectly interchangeable.
(*****)	Alternative Version. Different from 60530517 for the different manufacture.





GEARBOX CAMBIO

Models / Modelli	
G125-16/14,0	G180-16/14,0
G135-16/11,9	G200-16/11,9
G155-9/15,9	G210-16/14,2
G155-16/11,9	GO210-8/11,8
G155-16/14,0	G240-16/11,7
G180-16/11,9	




Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
1	60531181	389 261 1933	COVER		■	■	■	■	■	■	■	■	■	■	■	■
2		389 261 4418	FRONT BEARING COVER	(62)		■										
2	60531169	389 261 3318	FRONT BEARING COVER	(63)	■	■	■	■	■	■	■			■		
2	60531169	389 261 3318	FRONT BEARING COVER	(41)	■							■				
2	60531281	389 261 4518	FRONT BEARING COVER	(57)	■								■		■	
2		945 261 1218	FRONT BEARING COVER	(64)											■	
3	60531428	389 262 4152	WASHER S.0,10 MM	(1)(8)	■	■	■	■	■	■	■	■		■		
3	60531325	389 262 4452	WASHER S.0.40 MM	(1)(8)	■	■	■	■	■	■	■	■		■		
3	60531454	389 262 2054	WASHER S.0,50 MM	(1)(8)	■	■	■	■	■	■	■	■		■		
3		389 262 2154	WASHER S.0,55 MM	(1)(8)		■	■	■	■	■	■	■		■		
3		389 262 2254	WASHER S.0,60 MM	(1)(8)		■	■	■	■	■	■	■		■		
3		389 262 2354	WASHER S.0,65 MM	(1)(8)		■	■	■	■	■	■	■		■		
3	60531453	389 262 2454	WASHER S.0,70 MM	(1)(8)	■	■	■	■	■	■	■	■		■		
3		389 262 0955	WASHER S.0,10 MM	(1)									■		■	
3		389 262 0855	WASHER S.0,15 MM	(1)									■		■	
3		389 262 0755	WASHER S.0,20 MM	(1)									■		■	
3		389 262 0655	WASHER S.0,40 MM	(1)									■		■	
3		389 262 0355	WASHER S.0,45 MM	(1)									■		■	
3		389 262 0255	WASHER S.0,50 MM	(1)									■		■	
3		389 262 0155	WASHER S.0,55 MM	(1)									■		■	
3		389 262 0055	WASHER S.0,60 MM	(1)									■		■	
3		389 262 9954	WASHER S.0,65 MM	(1)									■		■	
3		389 262 9854	WASHER S.0,70 MM	(1)									■		■	
3		389 262 9754	WASHER S.0,75 MM	(1)									■		■	
3		389 262 0555	WASHER S.0,80 MM	(1)									■		■	
3	60531431	389 262 6055	WASHER S.2,74 MM	(2)	■	■										
3		389 262 6155	WASHER S.2,77 MM	(2)		■										
3		389 262 6255	WASHER S.2,80 MM	(2)		■										
3		389 262 6355	WASHER S.2,83 MM	(2)		■										
3		389 262 6455	WASHER S.2,86 MM	(2)		■										
3		389 262 6555	WASHER S.2,89 MM	(2)		■										
3		389 262 6655	WASHER S.2,92 MM	(2)		■										
3		389 262 6755	WASHER S.2,95 MM	(2)		■										
3		389 262 7755	WASHER S.4,84 MM	(2)			■									
3		389 262 7855	WASHER S.4,87 MM	(2)			■									

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
3		389 262 7955	WASHER S.4,90 MM	(2)		■										
3		389 262 8055	WASHER S.4,93 MM	(2)		■										
3		389 262 8155	WASHER S.4,96 MM	(2)		■										
3		389 262 8255	WASHER S.4,99 MM	(2)		■										
3		389 262 8355	WASHER S.5,02 MM	(2)		■										
3		389 262 8455	WASHER S.5,05 MM	(2)		■										
3	60531433	389 262 3055	WASHER S.0,25 MM	(2)	■		■	■	■	■	■	■	■	■	■	■
3		389 262 3155	WASHER S.0,28 MM	(2)			■	■	■	■	■	■	■	■	■	■
3		389 262 3255	WASHER S.0,31 MM	(2)			■	■	■	■	■	■	■	■	■	■
3		389 262 3355	WASHER S.0,34 MM	(2)			■	■	■	■	■	■	■	■	■	■
3		389 262 3455	WASHER S.0,37 MM	(2)			■	■	■	■	■	■	■	■	■	■
3	60531434	389 262 3555	WASHER S.0,40 MM	(2)	■		■	■	■	■	■	■	■	■	■	■
3		389 262 3655	WASHER S.0,43 MM	(2)			■	■	■	■	■	■	■	■	■	■
3		389 262 3755	WASHER S.0,46 MM	(2)			■	■	■	■	■	■	■	■	■	■
3		389 262 3855	WASHER S.0,49 MM	(2)			■	■	■	■	■	■	■	■	■	■
3		389 262 3955	WASHER S.0,52 MM	(2)			■	■	■	■	■	■	■	■	■	■
3		389 262 4055	WASHER S.0,55 MM	(2)			■	■	■	■	■	■	■	■	■	■
4	60530992	015 997 0347	OIL SEAL		●	■										
4	60530993	015 997 1647	OIL SEAL		●		■	■	■	■	■	■			■	
5		028 997 2248	O-RING 110X70X20											■		■
6	60531388	019 997 0547	OIL SEAL		■									■		■
7		914141 008312	SCREW	6 pcs.		■	■	■	■	■	■	■	■	■	■	■
7		914141 008312	SCREW	5 pcs.												■
8	60531239	000137 008212	SPACER	6 pcs.	●	■	■	■	■	■	■	■	■	■	■	■
9		914146 010127	SCREW	6 pcs.		■	■	■	■	■	■	■	■	■	■	■
10		406 337 0252	SPACER S.0,10 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		406 337 0352	SPACER S.0,20 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3252	SPACER S.0,40 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3352	SPACER S.0,45 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3452	SPACER S.0,50 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3552	SPACER S.0,55 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3652	SPACER S.0,60 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3752	SPACER S.0,65 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3852	SPACER S.0,70 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■
10		389 263 3952	SPACER S.0,75 MM	(1)(&)		■	■	■	■	■	■	■	■	■	■	■

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7	
10		389 263 5252	SPACER S.0,37 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 5352	SPACER S.0,40 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 5452	SPACER S.0,43 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 5552	SPACER S.0,46 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 5652	SPACER S.0,49 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 5752	SPACER S.0,52 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 5852	SPACER S.0,55 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 5952	SPACER S.0,58 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6052	SPACER S.0,61 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6152	SPACER S.0,64 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6252	SPACER S.0,67 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6352	SPACER S.0,70 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6452	SPACER S.0,73 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6552	SPACER S.0,76 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6652	SPACER S.0,79 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6752	SPACER S.0,82 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6852	SPACER S.0,85 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 6952	SPACER S.0,88 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7052	SPACER S.0,91 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7152	SPACER S.0,94 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7252	SPACER S.0,97 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7352	SPACER S.1,00 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7452	SPACER S.1,03 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7552	SPACER S.1,06 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7652	SPACER S.1,09 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7752	SPACER S.1,12 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7852	SPACER S.1,15 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 7952	SPACER S.1,18 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 8052	SPACER S.1,21 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 8152	SPACER S.1,24 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 8252	SPACER S.1,27 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 8352	SPACER S.1,30 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 8452	SPACER S.1,33 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 8552	SPACER S.1,36 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	
10		389 263 8652	SPACER S.1,39 MM	(2)		■	■	■	■	■	■	■	■	■	■	■	

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
11	60531122	389 261 0665	DIAPHRAGM		■									■		■
12		389 261 0108	FRONT HOUSING	(54)		■	■									
12		389 261 0208	FRONT HOUSING	(54)				■							■	
12		389 261 0308	FRONT HOUSING	(54)					■	■	■	■				
12		389 261 0308	FRONT HOUSING	(41)								■				
12		389 261 9702	FRONT HOUSING	(57)										■		■
13	60531366	210 997 0032	PLUG		■	■	■	■	■	■	■	■	■	■	■	■
14		007603 024105	RING			■	■	■	■	■	■	■	■	■	■	■
15	60531334	387 262 0473	SEEGER RING S.2,40 MM		■	■	■									
15	60531473	387 262 0573	SEEGER RING S.2,45 MM		■	■	■									
15	60531335	387 262 0673	SEEGER RING S.2,50 MM		■	■	■									
15	60531474	387 262 0773	SEEGER RING S.2,55 MM		■	■	■									
15	60531503	387 262 0873	SEEGER RING S.2,60 MM		■	■	■									
15	60531436	387 262 0973	SEEGER RING S.2,65 MM		■	■	■									
15		387 262 7673	SEEGER RING S.2,70 MM			■	■									
15		387 262 7773	SEEGER RING S.2,75 MM			■	■									
15		387 262 7873	SEEGER RING S.2,80 MM			■	■									
15	60531437	387 262 6873	SEEGER RING S.3,65 MM	(3)	■				■	■	■	■	■			
15		387 262 6973	SEEGER RING S.3,70 MM	(3)					■	■	■	■	■			
15		387 262 7073	SEEGER RING S.3,75 MM	(3)					■	■	■	■	■			
15		387 262 7173	SEEGER RING S.3,80 MM	(3)					■	■	■	■	■			
15		387 262 7273	SEEGER RING S.3,85 MM	(3)					■	■	■	■	■			
15		387 262 7373	SEEGER RING S.3,90 MM	(3)					■	■	■	■	■			
15		387 262 7473	SEEGER RING S.3,95 MM	(3)					■	■	■	■	■			
15		387 262 7573	SEEGER RING S.4,00 MM	(3)					■	■	■	■	■			
15	60531438	387 262 8673	SEEGER RING S.3,15 MM	(4)	■				■	■	■	■	■			
15		387 262 8773	SEEGER RING S.3,20 MM	(4)					■	■	■	■	■			
15		387 262 8873	SEEGER RING S.3,25 MM	(4)					■	■	■	■	■			
15		387 262 8973	SEEGER RING S.3,30 MM	(4)					■	■	■	■	■			
15		389 262 9073	SEEGER RING S.3,35 MM	(4)					■	■	■	■	■			
15		387 262 9173	SEEGER RING S.3,40 MM	(4)					■	■	■	■	■			
15		387 262 9273	SEEGER RING S.3,45 MM	(4)					■	■	■	■	■			
15		387 262 9373	SEEGER RING S.3,50 MM	(4)					■	■	■	■	■			
15	60531438	387 262 8673	SEEGER RING S.3,15 MM		■									■		■
15		387 262 8773	SEEGER RING S.3,20 MM											■		■

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
15		387 262 8873	SEEGER RING S.3,25 MM													
15		387 262 8973	SEEGER RING S.3,30 MM													
15		389 262 9073	SEEGER RING S.3,35 MM													
15		387 262 9173	SEEGER RING S.3,40 MM													
15		387 262 9273	SEEGER RING S.3,45 MM													
15		387 262 9373	SEEGER RING S.3,50 MM													
16	98530135	009 981 0605	BEARING 62X72X29,7		■	■	■									
16	98530179	011 981 1305	BEARING		■			■	■	■	■	■	■	■	■	■
17	98530114	013 981 6410	NEEDLE BEARING 82X90X35MM	(A)	■	■	■									
17	98530134	016 981 0210	NEEDLE BEARING	(B)	■	■	■									
17	98530180	008 981 9410	NEEDLE BEARING		■			■	■	■	■	■				
17	98530212	016 981 0010	NEEDLE BEARING		■								■		■	
18	60530775	389 262 1210	CONSTANT GEAR			■										
18	60530914	389 262 1410	CONSTANT GEAR				■									
18	60530929	389 262 2910	CONSTANT GEAR 26 T	(E)				■		■						
18	60530720	389 262 7710	CONSTANT GEAR 26 T.	(F)				■		■						
18	60530930	389 262 2810	CONSTANT GEAR 22 T	(E)					■		■					
18	60530719	389 262 2210	CONSTANT GEAR 22 T.	(F)					■		■					
18	60530720	389 262 7710	CONSTANT GEAR 26 T.									■				
18	60531038	945 262 1610	CONSTANT GEAR 32 T										■		■	
19	60530518	389 262 0637	SYNCHRONIZER RING			■	■		■	■	■	■	■	■	■	■
19	60531056	389 262 1337	SYNCHRONIZER RING	(*)	◆	■	■		■	■	■	■	■	■	■	■
20	60530991	387 262 1093	LOCK RING			■	■		■	■	■	■	■	■	■	■
21	60530715	389 262 3023	SLIDING SLEEVE 3RD/4TH SP			■	■									
21	60530517	387 262 0523	SLIDING SLEEVE	(C)				■	■	■	■					
21	60530811	387 262 1523	SLIDING SLEEVE	(C)(****)				■	■	■	■					
21	60530715	389 262 3023	SLIDING SLEEVE 3RD/4TH SP	(D)				■	■	■	■					
21	60530715	389 262 3023	SLIDING SLEEVE 3RD/4TH SP									■				
21	60530693	945 262 0323	SLIDING SLEEVE										■		■	
22	60530731	389 262 1501	INPUT SHAFT	(A)(5)(81)	■	■										
22	60530738	389 262 3901	INPUT SHAFT 60 T.	(B)(81)		■										
22	60530913	389 262 2001	INPUT SHAFT	(A)(5)(82)	◆	■	■									
22	60530912	389 262 4201	INPUT SHAFT	(B)(82)	■	■	■									
22	60530936	389 262 1201	INPUT SHAFT	(E)(5)	◆			■	■	■	■					
22	60530678	389 262 3701	INPUT SHAFT	(E)				■	■	■	■					

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
22	60530685	389 262 2901	INPUT SHAFT	(F)					■	■	■	■				
22	60530685	389 262 2901	INPUT SHAFT	(41)								■				
22		389 262 3101	INPUT SHAFT	(42)								■				
22	60531041	389 262 6501	INPUT SHAFT										■			
22	60531203	389 262 6601	INPUT SHAFT	(57)											■	
22		389 262 5601	INPUT SHAFT	(58)											■	
22	60531042	389 262 6201	INPUT SHAFT	(59)									■		■	
23	60530915	389 262 3502	INPUT SHAFT 24 T				■							■		
24	60531000	018 997 8447	SEAL BAFFLE		■	■	■									
24	60530999	018 997 8347	SEAL BAFFLE		■		■							■		
24	60531001	018 997 7147	SEAL BAFFLE		■			■	■	■	■	■			■	
25	60531368	389 262 0973	ELASTIC RING		■	■	■	■	■	■	■	■				
26	60531475	389 990 0819	SCREW	OLD (6)	■	■	■									
26	60531476	389 990 0119	SCREW	OLD (6)	■			■	■	■	■					
26	60531170	389 990 1819	SCREW	(61)		■	■	■	■	■	■	■				
27		389 262 0862	WASHER			■	■									
27	60531171	389 262 0062	WASHER					■	■	■	■	■				
28	98530133	009 981 0705	BEARING 32X31		■	■	■									
28	98530111	008 981 2805	BEARING 40X90,97X32 MM		■		■	■	■	■	■	■		■		
29		389 262 7252	SPACER S.0,10 MM			■	■									
29		389 262 7052	SPACER S.0,20 MM			■	■									
29		389 262 6952	SPACER S.0,40 MM			■	■									
29		389 262 6852	SPACER S.0,80 MM			■	■									
29		389 262 0154	SPACER S.2,30 MM			■	■									
29		389 262 0354	SPACER S.2,40 MM			■	■									
29		389 262 0554	SPACER S.2,50 MM			■	■									
29		389 262 0754	SPACER S.2,60 MM			■	■									
29		389 262 0954	SPACER S.2,70 MM			■	■									
29		389 262 1154	SPACER S.2,80 MM			■	■									
29		389 262 1354	SPACER S.2,90 MM			■	■									
29		389 262 1554	SPACER S.3,00 MM			■	■									
29	60531330	389 262 5952	SPACER T.0.10 MM		■			■	■	■	■	■	■		■	
29	60531485	389 262 7954	SPACER S.0,30 MM		■			■	■	■	■	■	■		■	
29		389 262 3154	SPACER S.0,40 MM					■	■	■	■	■	■		■	
29	60531477	389 262 5752	SPACER S.0,50 MM		■			■	■	■	■	■	■		■	

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
29		389 262 3054	SPACER S.0,60 MM				■	■	■	■	■	■		■		
29		389 262 2954	SPACER S.0,70 MM				■	■	■	■	■	■		■		
29		389 262 5652	SPACER S.0,80 MM				■	■	■	■	■	■		■		
29		389 262 8054	SPACER S.0,90 MM				■	■	■	■	■	■		■		
29		389 262 8154	SPACER S.1,00 MM				■	■	■	■	■	■		■		
29		389 262 8254	SPACER S.1,10 MM				■	■	■	■	■	■		■		
29		389 262 5552	SPACER S.1,20 MM				■	■	■	■	■	■		■		
29	60531333	389 262 6454	SPACER S.2,50 MM		■		■	■	■	■	■	■		■		
30	60531478	389 262 2854	SPACER S.0,50 MM		■			■	■	■	■	■				
30	60531479	389 262 3254	SPACER S.1,05 MM		■			■	■	■	■	■				
30		389 262 3354	SPACER S.1,10 MM					■	■	■	■	■				
30		389 262 3454	SPACER S.1,15 MM					■	■	■	■	■				
30		389 262 3554	SPACER S.1,20 MM					■	■	■	■	■				
30		389 262 3654	SPACER S.1,25 MM					■	■	■	■	■				
30		389 262 2754	SPACER S.1,30 MM					■	■	■	■	■				
30		389 262 1952	SPACER S.1,35 MM					■	■	■	■	■				
30		389 262 2052	SPACER S.1,40 MM					■	■	■	■	■				
30		389 262 1355	SPACER S.1,43 MM					■	■	■	■	■				
30		389 262 2152	SPACER S.1,45 MM					■	■	■	■	■				
30		389 262 1455	SPACER S.1,46 MM					■	■	■	■	■				
30		389 262 1555	SPACER S.1,49 MM					■	■	■	■	■				
30		389 262 2252	SPACER S.1,50 MM					■	■	■	■	■				
30		389 262 1655	SPACER S.1,52 MM					■	■	■	■	■				
30		389 262 2352	SPACER S.1,55 MM					■	■	■	■	■				
30		389 262 1755	SPACER S.1,58 MM					■	■	■	■	■				
30		389 262 1855	SPACER S.1,61 MM					■	■	■	■	■				
30		389 262 1955	SPACER S.1,64 MM					■	■	■	■	■				
30		389 262 2552	SPACER S.1,65 MM					■	■	■	■	■				
30		389 262 2055	SPACER S.1,67 MM					■	■	■	■	■				
30		389 262 2652	SPACER S.1,70 MM					■	■	■	■	■				
30		389 262 2155	SPACER S.1,73 MM					■	■	■	■	■				
30		389 262 2752	SPACER S.1,75 MM					■	■	■	■	■				
30		389 262 2255	SPACER S.1,76 MM					■	■	■	■	■				
30	60531500	389 262 2355	SPACER S.1,80 MM		■			■	■	■	■	■				
30		389 262 2455	SPACER S.1,82 MM					■	■	■	■	■				

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
30		389 262 2952	SPACER S.1,85 MM						■	■	■	■	■			
30		389 262 3052	SPACER S.1,90 MM						■	■	■	■	■			
30		389 262 3152	SPACER S.1,95 MM						■	■	■	■	■			
30		389 262 3252	SPACER S.2,00 MM						■	■	■	■	■			
30	60531446	389 262 3352	SPACER S.2,50 MM		■				■	■	■	■	■			
31	98530132	010 981 2405	BEARING 45X25,7		■	■	■									
31	98530115	002 981 7905	BEARING 50X90X32 MM		■				■	■	■	■	■			
32	60531369	387 268 0773	SNAP RING S.3,05 MM		■	■	■		■	■	■	■	■			
32	60531480	387 268 0873	SNAP RING S.3,08 MM		■	■	■		■	■	■	■	■			
32	60531481	387 268 0973	SNAP RING S.3,11 MM		■	■	■		■	■	■	■	■			
32	60531482	387 268 1073	SNAP RING S.3,14 MM		■	■	■		■	■	■	■	■			
33	60531322	389 262 0551	RING	(7)	■	■	■		■	■	■	■				
33		000988 070001	RING	(7)		■	■		■	■	■	■				
34	60531483	389 262 0851	SPACER S.1,80 MM		■	■	■		■	■	■	■	■			
34	60531484	389 262 1851	SPACER S.1,85 MM		■	■	■		■	■	■	■	■			
34	60531486	389 262 0951	SPACER S.1,90 MM		■	■	■		■	■	■	■	■			
34	60531487	389 262 1951	SPACER S.1,95 MM		■	■	■		■	■	■	■	■			
34	60531488	389 262 1051	SPACER S.2,00 MM		■	■	■		■	■	■	■	■			
34	60531489	389 262 2051	SPACER S.2,05 MM		■	■	■		■	■	■	■	■			
34	60531490	389 262 1151	SPACER S.2,10 MM		■	■	■		■	■	■	■	■			
34	60531491	389 262 2151	SPACER S.2,15 MM		■	■	■		■	■	■	■	■			
34	60531442	389 262 1251	SPACER S.2,20 MM		■	■	■		■	■	■	■	■			
34		389 262 2751	SPACER S.5,40 MM			■	■		■	■	■	■	■	■		
34		389 262 2851	SPACER S.5,45 MM			■	■		■	■	■	■	■	■		
34		389 262 2951	SPACER S.5,50 MM			■	■		■	■	■	■	■	■		
34		389 262 3051	SPACER S.5,55 MM			■	■		■	■	■	■	■	■		
34		389 262 3151	SPACER S.5,60 MM			■	■		■	■	■	■	■	■		
34		389 262 3251	SPACER S.5,65 MM			■	■		■	■	■	■	■	■		
34		389 262 3351	SPACER S.5,70 MM			■	■		■	■	■	■	■	■		
34		389 262 3451	SPACER S.5,75 MM			■	■		■	■	■	■	■	■		
34		389 262 3551	SPACER S.5,80 MM			■	■		■	■	■	■	■	■		
34		389 262 3651	SPACER S.5,85 MM			■	■		■	■	■	■	■	■		
34		389 262 3751	SPACER S.5,90 MM			■	■		■	■	■	■	■	■		
34		389 262 3851	SPACER S.5,95 MM			■	■		■	■	■	■	■	■		
34		389 262 3951	SPACER S.6,00 MM			■	■		■	■	■	■	■	■		

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
34		389 262 4051	SPACER S.6,05 MM			■	■		■	■	■	■	■			
34		389 262 4151	SPACER S.6,10 MM			■	■		■	■	■	■	■			
34		389 262 4251	SPACER S.6,15 MM			■	■		■	■	■	■	■			
34		389 262 4351	SPACER S.6,20 MM			■	■		■	■	■	■	■			
34		389 262 4451	SPACER S.6,25 MM			■	■		■	■	■	■	■			
34		389 262 4551	SPACER S.6,30 MM			■	■		■	■	■	■	■			
34		389 262 4651	SPACER S.6,35 MM			■	■		■	■	■	■	■			
34		389 262 4751	SPACER S.6,40 MM			■	■		■	■	■	■	■			
34		389 262 4851	SPACER S.6,45 MM			■	■		■	■	■	■	■			
34		389 262 4951	SPACER S.6,50 MM			■	■		■	■	■	■	■			
34		389 262 5051	SPACER S.6,55 MM			■	■		■	■	■	■	■			
34		389 262 5151	SPACER S.6,60 MM			■	■		■	■	■	■	■			
35	60531184	389 262 1854	RING			■	■		■	■	■	■				
36	98530098	011 981 7705	BEARING 50X90X24 MM	■		■	■		■	■	■	■				
37		389 269 8534	OIL RETAINER										■		■	
38		007993 050200	RETAINER RING										■		■	
39		000 262 8762	RING										■		■	
40	60531368	389 262 0973	ELASTIC RING	■									■		■	
41	60531472	945 990 0050	NUT	■									■		■	
43	98530204	015 981 1605	BEARING	■									■		■	
44	60531333	389 262 6454	SPACER S.2,50 MM	■											■	
44		389 262 5562	SPACER S.1,20 MM										■			
44		389 262 8254	SPACER S.1,10 MM												■	
44		389 262 8154	SPACER S.1,00 MM												■	
44		389 262 8054	SPACER S.0,90 MM												■	
44		389 262 5652	SPACER S.0,80 MM										■		■	
44		389 262 2954	SPACER S.0,70 MM												■	
44		389 262 3054	SPACER S.0,60 MM												■	
44	60531477	389 262 5752	SPACER S.0,50 MM	■									■		■	
44		389 262 3154	SPACER S.0,40 MM												■	
44	60531485	389 262 7954	SPACER S.0,30 MM	■											■	
44	60531330	389 262 5952	SPACER T.0.10 MM	■									■		■	
45		389 262 1656	SPACER S.5,34 MM												■	
45		389 262 1556	SPACER S.5,31 MM												■	
45		389 262 1445	SPACER S.5,28 MM												■	

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
45		389 262 1356	SPACER S.5,25 MM													■
45		389 262 1256	SPACER S.5,22 MM													■
45		389 262 1156	SPACER S.5,19 MM													■
45		389 262 1056	SPACER S.5,16 MM													■
45		389 262 0956	SPACER S.5,13 MM													■
45		389 262 0856	SPACER S.5,10 MM													■
45		389 262 0756	SPACER S.5,07 MM													■
45		389 262 0656	SPACER S.5,04 MM													■
45		389 262 0556	SPACER S.5,01 MM													■
45		389 262 0456	SPACER S.4,98 MM													■
45		389 262 0356	SPACER S.4,95 MM													■
45		389 262 0256	SPACER S.4,92 MM													■
45		389 262 0156	SPACER S.4,89 MM													■
45		389 262 0056	SPACER S.4,86 MM													■
45		389 262 9955	SPACER S.4,83 MM													■
45		389 262 9855	SPACER S.4,80 MM													■
45		389 262 9755	SPACER S.4,77 MM													■
45		389 262 9655	SPACER S.4,74 MM													■
45		389 262 9555	SPACER S.4,71 MM													■
45		389 262 9355	SPACER S.4,65 MM													■
46	98530115	002 981 7905	BEARING 50X90X32 MM		■									■		
46		012 981 9905	BEARING												■	
47	60531369	387 268 0773	SNAP RING S.3,05 MM		■									■		
47	60531480	387 268 0873	SNAP RING S.3,08 MM		■									■		
47	60531481	387 268 0973	SNAP RING S.3,11 MM		■									■		
47		387 262 1073	SNAP RING S.3,14 MM											■		
48	60531483	389 262 0851	SPACER S.1,80 MM		■									■		
48	60531484	389 262 1851	SPACER S.1,85 MM		■									■		
48	60531486	389 262 0951	SPACER S.1,90 MM		■									■		
48	60531487	389 262 1951	SPACER S.1,95 MM		■									■		
48	60531488	389 262 1051	SPACER S.2,00 MM		■									■		
48	60531489	389 262 2051	SPACER S.2,05 MM		■									■		
48	60531490	389 262 1151	SPACER S.2,10 MM		■									■		
48	60531491	389 262 2151	SPACER S.2,15 MM		■									■		
48	60531442	389 262 1251	SPACER S.2,20 MM		■									■		

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
49	60531184	389 262 1854	RING													
50	60530518	389 262 0637	SYNCHRONIZER RING			■	■	■	■	■	■	■	■	■	■	■
50	<i>60531056</i>	389 262 1337	SYNCHRONIZER RING	(*)	◆	■	■	■	■	■	■	■	■	■	■	■
51	60530991	387 262 1093	LOCK RING			■	■	■	■	■	■	■	■	■	■	■
52	60530679	389 262 5634	SYNCHRONIZER CONE			■	■	■	■	■	■	■		■		
52	60530767	389 262 5334	SYNCHRONIZER CONE	(P)									■			
52	60530203	389 262 5434	SYNCHRONIZER CONE	(B)									■			
53	60530774	389 262 5410	GEAR 4TH 24 T			■	■									
53	60530931	389 262 1110	GEAR 4TH SPEED 24 T	(C)				■	■	■	■					
53	60530932	389 262 3710	GEAR 4TH SPEED 24 T.	(DE)				■	■	■	■					
53	60530717	389 262 5510	GEAR 4TH SPEED 24 T.	(FG)				■	■	■	■					
53	60530718	389 262 5610	GEAR 4TH SPEED 24 T.	(H)				■	■	■	■					
53	60530718	389 262 5610	GEAR 4TH SPEED 24 T.									■				
53	60531045	389 262 8610	GEAR 4TH 29 T	(P)									■			
53	60531046	945 262 0510	GEAR 4TH 29 T	(B)									■			
53	60531096	389 262 3810	GEAR MAIN DRIVE 36 T	(J)(43)											■	
53	60531097	389 262 7910	GEAR MAIN DRIVE 36 T	(K)(44)											■	
54	60530679	389 262 5634	SYNCHRONIZER CONE			■	■	■						■		
54	60530679	389 262 5634	SYNCHRONIZER CONE	(G)				■	■	■	■					
54	60530690	945 262 0534	SYNCHRONIZER CONE	(H)				■	■	■	■					
54	60530690	945 262 0534	SYNCHRONIZER CONE									■				
54	60530767	389 262 5334	SYNCHRONIZER CONE	(P)									■			
54	60530690	945 262 0534	SYNCHRONIZER CONE	(B)(K)									■		■	
55	60530518	389 262 0637	SYNCHRONIZER RING			■	■	■							■	
55	<i>60531056</i>	389 262 1337	SYNCHRONIZER RING	(*)	◆	■	■	■							■	
55	60530518	389 262 0637	SYNCHRONIZER RING	(G)				■	■	■	■					
55	<i>60531056</i>	389 262 1337	SYNCHRONIZER RING	(G)(*)	◆			■	■	■	■					
55	60530684	389 262 0737	SYNCHRONIZER RING	(H)				■	■	■	■					
55	<i>60531072</i>	389 262 1137	SYNCHRONIZER RING	(H)(****)	◆			■	■	■	■					
55	60530684	389 262 0737	SYNCHRONIZER RING									■				
55	<i>60531072</i>	389 262 1137	SYNCHRONIZER RING	(****)	◆							■				
55	60530518	389 262 0637	SYNCHRONIZER RING	(JP)									■		■	
55	<i>60531056</i>	389 262 1337	SYNCHRONIZER RING	(JP)(*)	◆								■		■	
55	60530684	389 262 0737	SYNCHRONIZER RING	(KB)									■		■	
55	<i>60531072</i>	389 262 1137	SYNCHRONIZER RING	(KB)(****)	◆								■		■	

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
56	60530991	387 262 1093	LOCK RING			■	■	■							■	
56	60530991	387 262 1093	LOCK RING	(GPJ)					■	■	■			■		■
56	60531030	387 262 0893	LOCK RING	(H&K)					■	■	■			■		■
56	60531030	387 262 0893	LOCK RING									■				
57	60531334	387 262 0473	SEEGER RING S.2,40 MM		■	■	■	■	■	■	■	■			■	
57	60531473	387 262 0573	SEEGER RING S.2,45 MM		■	■	■	■	■	■	■	■			■	
57	60531335	387 262 0673	SEEGER RING S.2,50 MM		■	■	■	■	■	■	■	■			■	
57	60531474	387 262 0773	SEEGER RING S.2,55 MM		■	■	■	■	■	■	■	■			■	
57	60531503	387 262 0873	SEEGER RING S.2,60 MM		■	■	■	■	■	■	■	■			■	
57	60531436	387 262 0973	SEEGER RING S.2,65 MM		■	■	■	■	■	■	■	■			■	
57		387 262 7673	SEEGER RING S.2,70 MM			■	■	■	■	■	■	■			■	
57		387 262 7773	SEEGER RING S.2,75 MM			■	■	■	■	■	■	■			■	
57		387 262 7873	SEEGER RING S.2,80 MM			■	■	■	■	■	■	■			■	
57	60531336	387 262 2073	SEEGER RING S.2,40 MM		■									■		■
57	60531502	387 262 2173	SEEGER RING S.2,45 MM		■									■		■
57		007 994 0041	SEEGER RING S.2,50 MM											■		■
57	60531492	387 262 2373	SEEGER RING S.2,55 MM		■									■		■
57	60531441	387 262 2473	SEEGER RING S.2,60 MM		■									■		■
57	60531493	387 262 2573	SEEGER RING S.2,65 MM		■									■		■
57	60531494	387 262 7973	SEEGER RING S.2,70 MM		■									■		■
57	60531495	387 262 8173	SEEGER RING S.2,80 MM		■									■		■
58	60530689	389 262 0635	SYNCHRONIZER HUB 3/4TH			■	■	■							■	
58	60530689	389 262 0635	SYNCHRONIZER HUB 3/4TH	(G)					■	■	■	■				
58	60530933	389 262 1535	SYNCHRONIZER HUB	(H)					■	■	■	■				
58	60530933	389 262 1535	SYNCHRONIZER HUB										■			
58	60530978	389 262 2835	SYNCHRONIZER HUB	(JP)										■		■
58	60531095	389 262 4735	SYNCHRONIZER HUB	(KB)										■		■
59	60530715	389 262 3023	SLIDING SLEEVE 3RD/4TH SP			■	■	■							■	
59	60530517	387 262 0523	SLIDING SLEEVE	(C)					■	■	■	■				
59	60530811	387 262 1523	SLIDING SLEEVE	(C)(****)					■	■	■	■				
59	60530715	389 262 3023	SLIDING SLEEVE 3RD/4TH SP	(DG)					■	■	■	■				
59	60530683	389 262 2923	SLIDING SLEEVE 1RD/2TH SP	(H)					■	■	■	■				
59	60530683	389 262 2923	SLIDING SLEEVE 1RD/2TH SP										■			
59	60530693	945 262 0323	SLIDING SLEEVE	(JP)										■		■
59	60530694	389 262 2623	SLIDING SLEEVE	(KB)										■		■

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
60	60530773	389 262 0713	GEAR 3RD SPEED			■	■									
60	60530916	389 262 1013	GEAR 3RD SPEED 27 T					■							■	
60	60530934	389 262 0313	GEAR 3RD SPEED 28 T	(C)					■	■	■	■				
60	60530716	389 262 1413	GEAR 3RD SPEED 28 T.	(DG)					■	■	■	■				
60	60531037	389 262 1813	GEAR 3RD SPEED 34 T	(B)										■		
60	60531207	389 260 5719	GEAR 29 T.	(J)												■
61	60530935	389 262 2113	GEAR 3RD SPEED 28 T.	(H)					■	■	■	■				
61	60530935	389 262 2113	GEAR 3RD SPEED 28 T.										■			
61	60531047	945 262 0213	GEAR 3RD SPEED 34 T	(B)										■		
61		945 262 1713	GEAR 3RD SPEED	(K)												■
62	60530690	945 262 0534	SYNCHRONIZER CONE	(HKB)					■	■	■	■		■		■
62	60530690	945 262 0534	SYNCHRONIZER CONE										■			
63	60531039	389 265 2449	SLIDING BLOCK			■	■		■	■	■	■	■			
63	60530890	389 265 2749	SLIDING BLOCK	●										■		■
64	60531496	389 265 0601	SHIFT FORK	■		■	■		■	■	■	■	■			
64		389 265 1201	SHIFT FORK											■		■
65	60531443	387 263 2652	WASHER S.0,20 MM		■	■	■		■	■	■	■	■	■		■
65		387 263 2752	WASHER S.0,40 MM			■	■		■	■	■	■	■	■		■
65		387 263 2852	WASHER S.0,60 MM			■	■		■	■	■	■	■	■		■
65		387 263 2952	WASHER S.0,80 MM			■	■		■	■	■	■	■	■		■
65		387 263 3052	WASHER S.1,00 MM			■	■		■	■	■	■	■	■		■
66	60531282	389 267 2217	YOKE BAR	(8)	■	■	■									
66	60531283	389 267 2017	YOKE BAR	(9)	■	■										
66	60531497	389 267 3017	YOKE BAR	(10)	■		■									
66	60531284	389 267 2117	YOKE BAR	(11)	■				■	■	■	■				
66	60531282	389 267 2217	YOKE BAR	(12)	■				■	■	■	■	■	■		■
66	60531287	389 267 1917	YOKE BAR	(13)	■				■		■					
66	60531283	389 267 2017	YOKE BAR	(14)	■				■		■					■
66	60531288	389 267 2917	YOKE BAR	(15)	■				■		■					
66	60531497	389 267 3017	YOKE BAR	(16)	■				■		■					
66	60531497	389 267 3017	YOKE BAR	(17)	■				■		■		■	■		
66		945 267 0217	YOKE BAR	(45)									■			
66		945 267 0117	YOKE BAR	(46)												■
67	60531498	389 267 2819	CYLINDER		■	■	■		■	■	■	■		■		■
67	60531498	389 267 2819	CYLINDER	(47)	■								■			

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
68	60531444	387 263 3352	GASKET S.0,20 MM		■	■	■		■	■	■	■	■	■	■	
68	60531499	387 263 3452	GASKET S.0,40 MM		■	■	■		■	■	■	■	■	■	■	
68		387 263 3552	GASKET S.0,60 MM			■	■		■	■	■	■	■	■	■	
68	60531445	387 263 3752	GASKET S.1,00 MM		■	■	■		■	■	■	■	■	■	■	
69	60531360	007 997 4248	OIL SEAL		■	■	■		■	■	■	■	■	■	■	
70	60531340	945 267 0218	PISTON			■	■		■	■	■	■	■	■	■	
71	60531359	006 997 6447	OIL SEAL		■	■	■		■	■	■	■	■	■	■	
72	60531179	387 267 0650	BUSH		●	■	■		■	■	■	■	■	■	■	
73	60531180	000 267 0197	OIL SEAL		■	■	■		■	■	■	■	■	■	■	
74	60530968	389 267 3319	CYLINDER			■	■		■	■	■	■	■	■	■	
74	60530968	389 267 3319	CYLINDER	(47)								■				
75		389 262 2555	SPACER S.0,70 MM	(48)								■			■	
75		389 262 2655	SPACER S.0,90 MM	(48)								■			■	
75		389 262 3554	SPACER S.1,20 MM	(48)								■			■	
75		389 262 2052	SPACER S.1,40 MM	(48)								■			■	
75	60531500	389 262 2355	SPACER S.1,80 MM	(48)	■							■			■	
75		389 262 3252	SPACER S.2,00 MM	(48)								■			■	
75	60531446	389 262 3352	SPACER S.2,50 MM	(48)	■							■			■	
76		945 267 0719	CYLINDER	(48)OLD								■				
76		945 267 0819	CYLINDER	(48)NEW								■				
77		006 994 4241	LOCK RING	(48)								■				
78	60530695	389 265 2349	SLIDING BLOCK			■	■	■	■	■	■	■	■	■	■	
78	60530890	389 265 2749	SLIDING BLOCK		●								■		■	
79	60531501	389 260 3730	SHIFT FORK		■	■	■									
79		389 260 4030	SHIFT FORK				■							■		
79	60531501	389 260 3730	SHIFT FORK	(G)	■				■	■	■	■				
79	60531467	389 260 4230	SHIFT FORK	(H)	■				■	■	■	■				
79	60531467	389 260 4230	SHIFT FORK		■							■				
79		389 260 3830	SELECTOR FORK	(P)										■		
79		389 260 5530	SELECTOR FORK	(B)										■		
80		389 260 4930	SELECTOR FORK												■	
81		389 265 6604	YOKE BAR				■								■	
81		389 265 6104	YOKE BAR			■	■									
81		389 265 3304	YOKE BAR	(C)					■	■	■	■				
81		389 265 6304	YOKE BAR	(D)					■	■	■	■				

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
81		389 265 6304	YOKE BAR													
81		389 265 7904	YOKE BAR													
81		389 265 8204	YOKE BAR													
82	98530131	014 981 3910	NEEDLE BEARING		■	■	■									
82	98530130	009 981 1410	NEEDLE BEARING		■			■							■	
82	98530181	010 981 5310	NEEDLE BEARING		■				■	■	■	■	■			■
83		389 262 1605	MAIN SHAFT	(A)		■	■									
83	60530771	389 262 2005	MAIN SHAFT	(B)	◆	■	■									
83	60530917	389 262 1305	MAIN SHAFT					■							■	
83	60530726	389 262 1505	MAIN SHAFT						■	■	■	■	■			
83	60531043	389 262 2405	MAIN SHAFT	(JB)										■		■
83	60531094	945 262 1105	MAIN SHAFT	(KB)										■		■
84	98530181	010 981 5310	NEEDLE BEARING		■	■	■	■	■	■	■	■	■	■	■	■
85	60530770	389 262 1112	GEAR 2ND SPEED 32 T			■	■									
85	60530918	389 262 1412	GEAR 2ND SPEED 34 T.					■							■	
85	60530937	389 262 0312	GEAR 2ND SPEED 32 T	(C)					■	■	■	■				
85	60530938	389 262 1312	GEAR 2ND SPEED 32 T.	(D)					■	■	■	■				
85	60530938	389 262 1312	GEAR 2ND SPEED 32 T.										■			
85	60531119	389 260 4919	GEAR 2ND	(OLD)(49)	◆										■	■
85	60531048	389 262 2512	GEAR 2ND 39 T	(NEW)											■	■
86	60530684	389 262 0737	SYNCHRONIZER RING			■	■	■	■	■	■	■	■	■	■	■
86	60531072	389 262 1137	SYNCHRONIZER RING	(****)	◆	■	■	■	■	■	■	■	■	■	■	■
87	60531030	387 262 0893	LOCK RING			■	■	■	■	■	■	■	■	■	■	■
88	60530521	945 262 0434	SYNCHRONIZER CONE			■	■		■	■	■	■	■			■
88	60530522	389 262 0534	SYNCHRONIZER CONE					■							■	
89	60530820	389 262 0035	SYNCHRONIZER HUB			■	■	■	■	■	■	■	■		■	
89	60531185	389 262 2535	SYNCHRONIZER HUB											■		■
90	60531336	387 262 2073	SEEGER RING S.2,40 MM		■	■	■	■	■	■	■	■	■	■	■	■
90	60531502	387 262 2173	SEEGER RING S.2,45 MM		■	■	■	■	■	■	■	■	■	■	■	■
90		007 994 0041	SEEGER RING S.2,50 MM			■	■	■	■	■	■	■	■	■	■	■
90	60531492	387 262 2373	SEEGER RING S.2,55 MM		■	■	■	■	■	■	■	■	■	■	■	■
90	60531441	387 262 2473	SEEGER RING S.2,60 MM		■	■	■	■	■	■	■	■	■	■	■	■
90	60531493	387 262 2573	SEEGER RING S.2,65 MM		■	■	■	■	■	■	■	■	■	■	■	■
90	60531494	387 262 7973	SEEGER RING S.2,70 MM		■	■	■	■	■	■	■	■	■	■	■	■
90		389 262 8073	SEEGER RING S.2,75 MM			■	■	■	■	■	■	■	■	■	■	■

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
90		389 262 8173	SEEGER RING S.2,80 MM			■	■	■	■	■	■	■	■	■	■	■
91	60530521	945 262 0434	SYNCHRONIZER CONE			■	■	■	■	■	■	■	■	■	■	■
92	60530587	387 262 0623	SLIDING SLEEVE	(C)		■	■		■	■	■					
92	60530683	389 262 2923	SLIDING SLEEVE 1RD/2TH SP	(D)		■	■		■	■	■					
92	60530683	389 262 2923	SLIDING SLEEVE 1RD/2TH SP					■				■		■		
92	60530694	389 262 2623	SLIDING SLEEVE										■		■	
93	60530769	389 262 1411	GEAR 1ST SPEED		■	■	■									
93	60530919	389 262 1711	GEAR 1ST SPEED					■							■	
93	60530939	389 262 0411	GEAR 1ST SPEED 38 T	(C)					■	■	■	■				
93	60530940	389 262 1611	GEAR 1ST SPEED 38 T	(D)					■	■	■	■				
93	60530940	389 262 1611	GEAR 1ST SPEED 38 T										■			
93	60531049	389 262 2711	GEAR 1ST 44 T											■		■
94	98530129	014 981 4310	NEEDLE BEARING	(19)	■	■	■									
94	98530110	008 981 8310	NEEDLE BEARING 75X83X55MM		■			■							■	
94	98530110	008 981 8310	NEEDLE BEARING 75X83X55MM		■				■	■	■	■	■			■
95	60530768	389 262 0135	SYNCHRONIZER HUB			■	■		■	■	■	■	■			■
95	60530920	389 262 0435	SYNCHRONIZER HUB					■								
95	60530954	389 262 2135	SYNCHRONIZER HUB		■										■	
96	60530776	389 262 1823	SLIDING SLEEVE	(20)		■	■									
96	60530777	389 262 1723	SLIDING SLEEVE	(21)		■	■									
96	60530921	389 262 0223	SLIDING SLEEVE					■								
96	60530777	389 262 1723	SLIDING SLEEVE	(55)					■	■	■	■	■			■
96	60530776	389 262 1823	SLIDING SLEEVE	(56)					■	■	■	■	■			■
96	60530776	389 262 1823	SLIDING SLEEVE												■	
97	60531334	387 262 0473	SEEGER RING S.2,40 MM		■			■							■	
97	60531335	387 262 0673	SEEGER RING S.2,50 MM		■			■							■	
97	60531474	387 262 0773	SEEGER RING S.2,55 MM		■			■							■	
97	60531503	387 262 0873	SEEGER RING S.2,60 MM		■			■								
98	60530778	389 262 1633	REVERSE GEAR 34 T.		■	■	■									
98	60530922	389 262 0533	REVERSE GEAR		■			■								
98	60530941	389 262 0333	REVERSE GEAR 34 T.	(55)(OLD)					■	■	■	■	■			
98	60531447	389 262 1033	REVERSE GEAR 34 T.	(56)(NEW)	■				■	■	■	■	■			
98	60531186	389 262 2033	REVERSE GEAR	(55)(18)	■									■		■
98	60531448	389 262 1733	REVERSE GEAR 40 T.	(56)(74)	■									■		■
98	60530955	389 262 1833	REVERSE GEAR		■										■	

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
99	98530127	013 981 5310	NEEDLE BEARING		■		■									
100	60530928	389 262 0040	SYNCHRONIZER HUB 37 T				■									
100	60530956	389 262 0140	SYNCHRONIZER HUB											■		
101	60530923	389 262 0211	GEAR		■		■									
102	60531504	389 262 0150	BUSH	(A)	■	■	■									
102	60531505	389 262 1250	BUSH	(B)	■	■	■									
102	60531187	389 262 0050	BUSH					■	■	■	■	■	■		■	
103	98530126	013 981 1810	NEEDLE BEARING		■	■	■									
103	98530125	013 981 6510	NEEDLE BEARING		■		■								■	
103	98530121	009 981 1510	NEEDLE BEARING		■			■	■	■	■	■	■		■	
104		389 260 4430	SHIFT FORK			■	■		■	■	■	■				
104		389 260 4330	SELECTOR FORK				■								■	
104		389 260 4530	SELECTOR FORK										■			
104		389 260 3130	SELECTOR FORK												■	
105		389 265 6204	YOKE BAR			■	■									
105		389 265 3604	YOKE BAR				■								■	
105		389 265 3404	YOKE BAR	(C)				■	■	■	■					
105		389 265 6404	YOKE BAR	(D)				■	■	■	■					
105		389 265 6404	YOKE BAR									■				
105		389 265 7804	YOKE BAR										■			
105		389 265 7804	YOKE BAR												■	
106	60530891	945 265 0149	SLIDE			■	■	■	■	■	■	■	■	■	■	■
107	60531506	389 260 4730	SHIFT FORK		■	■	■	■	■	■	■	■		■		
107		389 260 4830	SHIFT FORK										■		■	
108		389 265 3204	YOKE BAR			■	■									
108		389 265 3704	YOKE BAR				■								■	
108		389 265 3504	YOKE BAR					■	■	■	■	■	■		■	
109	98530124	008 981 8005	BEARING		■	■	■									
109	98530118	012 981 9305	BEARING 60X130X30 MM		■		■	■	■	■	■	■	■	■	■	■
110	60531507	389 262 3552	WASHER S.0,10 MM		■	■	■									
110	60531508	389 262 3852	WASHER S.0,40 MM		■	■	■									
110	60531507	389 262 3552	WASHER S.0,10 MM		■		■	■	■	■	■	■	■	■	■	■
110	60531509	389 262 3652	WASHER S.0,15 MM		■		■	■	■	■	■	■	■	■	■	■
110	60531510	389 262 3752	WASHER S.0,20 MM		■		■	■	■	■	■	■	■	■	■	■
110	60531508	389 262 3852	WASHER S.0,40 MM		■		■	■	■	■	■	■	■	■	■	■

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
110		389 263 4052	WASHER S.0,60 MM				■	■	■	■	■	■	■	■	■	
110		389 263 4152	WASHER S.0,65 MM				■	■	■	■	■	■	■	■	■	
110	60531449	389 263 4252	WASHER S.0,70 MM		■		■	■	■	■	■	■	■	■	■	
110		389 263 4352	WASHER S.0,75 MM				■	■	■	■	■	■	■	■	■	
110		389 263 0552	WASHER S.0,80 MM				■	■	■	■	■	■	■	■	■	
110		389 263 4452	WASHER S.0,85 MM				■	■	■	■	■	■	■	■	■	
110		389 263 4552	WASHER S.0,90 MM				■	■	■	■	■	■	■	■	■	
110		389 263 4652	WASHER S.0,95 MM				■	■	■	■	■	■	■	■	■	
110		389 263 4752	WASHER S.1,00 MM				■	■	■	■	■	■	■	■	■	
110		389 263 4852	WASHER S.1,05 MM				■	■	■	■	■	■	■	■	■	
110		389 263 4952	WASHER S.1,10 MM				■	■	■	■	■	■	■	■	■	
110		389 263 5052	WASHER S.1,15 MM				■	■	■	■	■	■	■	■	■	
111		389 262 6352	SPACER			■	■									
111		389 262 0152	SPACER S.20,30 MM	(E)(&)			■	■	■	■	■				■	
111	60531331	389 262 3754	SPACER S.18,00 MM	(F)			■	■	■	■	■				■	
111	60531331	389 262 3754	SPACER S.18,00 MM									■				■
111	60531331	389 262 3754	SPACER S.18,00 MM	(X)									■			
112	60531528	389 262 0109	SUN GEAR 25 T	(L)	◆	■	■									
112	60530779	389 262 0309	SUN GEAR 25 T	(M)		■	■									
112	60531188	389 262 0009	SUN GEAR 25 T	(83)(Old)	◆			■	■	■	■				■	
112	60530728	389 262 0409	SUN GEAR 25 T	(E)(&)NEW				■	■	■	■				■	
112	60530727	389 262 0209	SUN GEAR 25 T.	(F)				■	■	■	■				■	
112	60530727	389 262 0209	SUN GEAR 25 T.									■				
112		389 262 0509	SUN GEAR 25 T.	(X)										■		
112	60531089	389 262 0809	SUN GEAR 25 T	(Y)										■		
112	60531089	389 262 0809	SUN GEAR 25 T													■
113		006 994 7341	SEEGER RING			■	■									
113		006 994 7341	SEEGER RING	(E)(&)				■	■	■	■				■	
113		007 994 1841	SEEGER RING	(F)				■	■	■	■				■	
113		007 994 1841	SEEGER RING									■	■			■
114		007993 060200	LOCK RING	(N)		■	■									
114	60531087	007993 040200	LOCK RING	(P)	■	■	■									
114	60531087	007993 040200	LOCK RING		■			■	■	■	■	■			■	
114	60531092	000472 060000	LOCK RING		NSS								■			■
115		389 269 0334	OIL TUBE	(N)		■	■									

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
115	60530903	389 269 0134	OIL TUBE	(P)		■	■									
115	60530903	389 269 0134	OIL TUBE					■	■	■	■	■		■		
116	<i>60531093</i>	389 269 4734	OIL TUBE		NSS								■		■	
117		389 260 0761	PLANET CARRIER	(N)		■	■									
117		389 260 2761	PLANET CARRIER	(P)		■	■									
117	60531100	389 260 0661	PLANET CARRIER	(E)				■	■	■	■				■	
117	60530950	389 260 8961	PLANET CARRIER	(F)				■	■	■	■				■	
117	60530950	389 260 8961	PLANET CARRIER									■				
117	<i>60531088</i>	389 260 8661	PLANET CARRIER	(OLD)(50)	◆									■		■
117	60531106	945 260 4461	PLANET CARRIER											■		■
118	<i>60531019</i>	001 981 3287	ROLLER	125 pcs.	NSS	■	■									
118	<i>60530986</i>	001 981 2787	ROLLER	(E&)-125	NSS			■	■	■	■	■			■	
118	<i>60530983</i>	000 981 4186	ROLLER	(F)-125	NSS			■	■	■	■	■			■	
118	<i>60530983</i>	000 981 4186	ROLLER	125 pcs.	NSS								■	■		■
119	60530984	389 262 0162	SPACER	10 pcs.		■	■	■	■	■	■	■	■	■	■	■
120	60530985	389 262 0262	WASHER	10 pcs.	●	■	■	■	■	■	■	■			■	
120	60531103	389 262 1462	WASHER	10 pcs.	●									■		■
121	<i>60530982</i>	000914 006109	LOCKPIN 6X14 MM	5 pcs.	NSS	■	■	■	■	■	■	■	■	■	■	■
122	<i>60531529</i>	389 260 0197	REPAIR KIT	(L)(Old)	◆	■	■									
122	60530902	389 260 0397	REPAIR KIT	(M)(NEW)		■	■									
122	<i>60531189</i>	389 260 0097	DIFF. GEAR KIT	(83)	◆			■	■	■	■	■			■	
122	60530952	389 260 0297	REPAIR KIT	(E&)				■	■	■	■	■			■	
122	60530951	389 260 0497	REPAIR KIT	(F)				■	■	■	■	■			■	
122	60530951	389 260 0497	REPAIR KIT									■				
122		655 260 0097	REPAIR KIT	(X)									■			
122	60531090	655 260 0197	REPAIR KIT	(Y)									■			
122	60531090	655 260 0197	REPAIR KIT													■
123	<i>60531511</i>	000472 130000	SNAP RING		■	■	■	■	■	■	■	■	■	■	■	■
124	<i>98530108</i>	004 981 8825	BEARING 90X130X14 MM		■	■	■	■	■	■	■	■	■	■	■	■
125		389 262 0308	CROWN			■	■									
125	60530953	389 262 0208	CROWN 80 T.					■	■	■	■	■			■	■
125		389 262 0608	CROWN	(X)									■			
125	60531091	945 262 0108	CROWN 85 T	(Y)									■			
125	60531091	945 262 0108	CROWN 85 T													■
126	<i>60530958</i>	389 262 0408	CROWN		■							■				

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
126	60531123	389 262 0708	CROWN	(Y)(51)	■									■		
126	60531123	389 262 0708	CROWN	(51)	■											■
126		945 262 0208	CROWN	(Y)										■		■
127	60531198	389 262 0773	RING		■								■			
127	60531198	389 262 0773	RING	(Y)(51)	■									■		
127	60531198	389 262 0773	RING	(51)	■											■
128	60530959	389 262 0525	CARRIER HUB		■								■			
128	60531199	389 262 1425	CARRIER HUB	(Y)(51)	■									■		
128	60531199	389 262 1425	CARRIER HUB	(51)	■											■
129	60530906	389 260 0936	RING	(Q)	◆	■	■	■	■	■	■	■			■	
129	60530686	389 260 2036	RING	(R)		■	■	■	■	■	■	■			■	
129	60530686	389 260 2036	RING										■	■		■
130	60531059	389 262 0293	LOCK RING			■	■	■	■	■	■	■	■	■	■	■
131	60530907	389 262 0537	SYNCHRONIZER RING			■	■	■	■	■	■	■	■	■	■	■
132	60530899	389 262 0535	SYNCHRONIZER HUB	(Q)	◆	■	■	■	■	■	■	■			■	
132	60530730	389 262 2035	SYNCHRONIZER HUB	(R)		■	■	■	■	■	■	■			■	
132	60530730	389 262 2035	SYNCHRONIZER HUB										■	■		■
133	60530908	389 262 1523	SLIDING SLEEVE	(Q)	◆	■	■	■	■	■	■	■			■	
133	60530687	945 262 0823	SLIDING SLEEVE	(R)		■	■	■	■	■	■	■			■	
133	60530687	945 262 0823	SLIDING SLEEVE										■	■		■
134	60531512	000471 120000	SNAP RING		■	■	■	■	■	■	■	■	■	■	■	■
135	60531513	389 262 0251	SPACER		■	■	■	■	■	■	■	■	■	■	■	■
136	60530910	389 262 2334	SYNCHRONIZER CONE	(Q)	◆	■	■	■	■	■	■	■			■	
136	60530680	389 262 4034	SYNCHRONIZER CONE	(RS)(OLD)		■	■	■	■	■	■	■			■	
136	60530737	389 262 9134	SYNCHRONIZER CONE	(T)(NEW)		■	■	■	■	■	■	■			■	
136	60530680	389 262 4034	SYNCHRONIZER CONE	(S)(OLD)									■			
136	60530737	389 262 9134	SYNCHRONIZER CONE	(T)(NEW)									■			
136	60531053	389 262 4434	SYNCHRONIZER CONE	(S)(OLD)										■		■
136	60531052	389 262 9234	SYNCHRONIZER CONE	(T)(NEW)										■		■
137	60531332	389 262 3954	WASHER		■	■	■	■	■	■	■	■	■		■	
137		389 262 7854	WASHER											■		■
138	60531326	389 262 4752	SPACER T.0.10 MM		■	■	■	■	■	■	■	■	■	■	■	
138	60531328	389 262 4952	SPACER T.0.25 MM		■	■	■	■	■	■	■	■	■	■	■	
138	60531327	389 262 5052	SPACER T.0.40 MM		■	■	■	■	■	■	■	■	■	■	■	
138	60531329	389 262 7754	SPACER T.1.40 MM		■	■	■	■	■	■	■	■	■	■	■	

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G210-8/11,8	G240-16/11,7
139	98530109	004 981 9325	BEARING 85X150X28 MM		■	■	■	■	■	■	■	■	■	■		
139	98530109	004 981 9325	BEARING 85X150X28 MM	OLD(50)(#)	■								■		■	
139	98530188	008 981 3025	BEARING 80X150X28	(@)	■								■		■	
140	60531320	389 260 0150	BUSH	(25)	■	■	■	■	■	■	■			■		
140	60531320	389 260 0150	BUSH		■							■				
140	60531320	389 260 0150	BUSH	(#)	■								■		■	
140		389 260 0350	BUSH	(@)									■		■	
141	60531387	387 262 0828	PULSE DISK	(26-67)	■	■	■	■	■	■	■				■	
142	60531316	389 264 0021	GEAR 64 T.	(26-67)	■	■	■	■	■	■	■				■	
143	60531039	389 265 2449	SLIDING BLOCK			■	■	■	■	■	■	■	■	■	■	
144	60531514	389 265 0901	SHIFT FORK		■	■	■	■	■	■	■	■	■	■	■	
145		389 267 3517	YOKE BAR	(27)		■	■									
145		389 267 7317	YOKE BAR	(28)		■	■									
145	60531285	389 267 7217	ROD	(29)	■			■	■	■	■	■	■	■	■	
145	60531286	389 267 3417	ROD	(40)	■			■	■	■	■	■	■		■	
146	60531180	000 267 0197	OIL SEAL		■	■	■	■	■	■	■	■	■	■	■	
147	60531179	387 267 0650	BUSH		●	■	■	■	■	■	■	■	■	■	■	
148	60531317	389 267 1018	PISTON			■	■	■	■	■	■	■	■	■	■	
149	60531379	014 997 3647	RUBBER RING		■	■	■	■	■	■	■	■	■	■	■	
150	60531190	013 997 7548	O-RING		■	■	■	■	■	■	■	■	■	■	■	
151	60530967	945 267 1119	CYLINDER		■	■	■	■	■	■	■	■	■	■	■	
152		389 261 3403	GEARBOX HOUSING	(30)(S)OLD		■	■									
152		389 261 7103	GEARBOX HOUSING	(T)NEW		■	■									
152		389 261 3503	GEARBOX HOUSING	(S)OLD				■							■	
152		389 261 7303	GEARBOX HOUSING	(T)NEW				■							■	
152		389 261 3303	GEARBOX HOUSING	(S)(31)OLD					■	■	■	■				
152		655 260 3623	GEARBOX HOUSING	(T)NEW					■	■	■	■				
152		389 261 3303	GEARBOX HOUSING	(S)(μ)OLD								■	■		■	
152		655 260 3623	GEARBOX HOUSING	(T)(¶)NEW								■	■		■	
153		389 261 4603	REAR GEARBOX HOUSING	(RS)OLD		■	■	■	■	■	■	■			■	
153		389 261 5126	REAR GEARBOX HOUSING	(T)NEW		■	■	■	■	■	■	■			■	
153		389 261 4603	REAR GEARBOX HOUSING	(S)OLD								■				
153		389 261 5126	REAR GEARBOX HOUSING	(T)NEW								■				
153		389 261 1126	REAR GEARBOX HOUSING	T 68/71/72									■		■	
153		656 260 5611	REAR GEARBOX HOUSING	69/71a/72a									■		■	

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
153		656 260 2112	REAR GEARBOX HOUSING	(70)												
154	60531191	389 261 1180	GASKET	(32)	■	■		■	■	■	■					
155	60531326	389 262 4752	SPACER T.0.10 MM		■	■	■	■	■	■	■	■	■	■	■	
155	60531328	389 262 4952	SPACER T.0.25 MM		■	■	■	■	■	■	■	■	■	■	■	
155	60531327	389 262 5052	SPACER T.0.40 MM		■	■	■	■	■	■	■	■	■	■	■	
155	60531329	389 262 7754	SPACER T.1.40 MM		■	■	■	■	■	■	■	■	■	■	■	
156	60531318	389 261 0420	REAR GEARBOX HOUSING	(33)	■	■	■	■	■	■	■	■		■		
156	60531318	389 261 0420	REAR GEARBOX HOUSING	(73)	■								■		■	
157	60531178	013 997 7247	OIL SEAL		●	■	■	■	■	■	■	■	■	■	■	
158	60531183	013 997 7347	OIL SEAL		●	■	■	■	■	■	■	■	■	■	■	
159	60530909	389 262 0445	OUTPUT FLANGE D.180 DIN9T			■	■	■	■	■	■		■	■		
159	60530909	389 262 0445	OUTPUT FLANGE D.180 DIN9T	(52)(#)								■			■	
159		945 262 0045	OUTPUT FLANGE D.180	(80)									■		■	
159		389 262 0645	OUTPUT D.200	(53)(@)								■			■	
160	60531373	014 997 5148	O-RING		■	■	■	■	■	■	■	■	■	■	■	
161		389 262 0362	WASHER			■	■	■	■	■	■	■	■	■	■	
162	60531515	389 990 2019	SCREW		■	■	■	■	■	■	■	■	■	■	■	
163		655 260 0016	REAR GEARBOX HOUSING	(34)		■		■	■	■	■					
163		389 261 1120	REAR GEARBOX HOUSING	(35)		■		■	■	■	■				■	
164	60531192	389 261 1280	GASKET	(36)	■	■	■	■	■	■	■			■		
164	60531193	945 261 0080	GASKET	(37)	■	■	■	■	■	■	■			■		
164	60531193	945 261 0080	GASKET		■							■	■		■	
165	60531321	389 261 0433	COVER	(36)(&)	■	■	■	■	■	■	■			■		
165	60531452	389 261 2333	COVER	(37)(&)	■	■	■	■	■	■	■			■		
165	60531452	389 261 2333	COVER		■							■	■		■	
166		387 262 2773	SEEGER RING S.2,00 MM			■	■									
166		387 994 1641	SEEGER RING S.2,25 MM					■	■	■	■	■		■		
166	60531516	387 994 1541	SEEGER RING S.2,35 MM		■			■	■	■	■	■		■		
166		387 994 1441	SEEGER RING S.2,40 MM					■	■	■	■	■		■		
166	95530517	387 994 1341	SEEGER RING S.2,45 MM		■			■	■	■	■	■		■		
166	60531517	387 994 1141	SEEGER RING S.2,55 MM		■			■	■	■	■	■		■		
166	60531518	387 994 0941	SEEGER RING S.2,65 MM		■			■	■	■	■	■		■		
166	60531519	387 994 0741	SEEGER RING S.2,75 MM		■			■	■	■	■	■		■		
166	60531520	387 994 0541	SEEGER RING S.2,85 MM		■			■	■	■	■	■		■		
166	60531521	387 994 0341	SEEGER RING S.2,90 MM		■			■	■	■	■	■		■		

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
166		389 994 0041	SEEGER RING													
167	98530123	010 981 5905	BEARING		■	■	■									
167	98530107	014 981 1405	BEARING		■			■	■	■	■	■	■	■	■	■
168	60530894	389 263 0510	CONSTANT GEAR 27 T			■										
168	60530911	389 263 0610	CONSTANT GEAR				■									
168	60530942	389 263 0410	CONSTANT GEAR 23 T	(E)				■		■						
168	60530722	389 263 1110	CONSTANT GEAR 23 T.	(F)				■		■						
168	60530943	389 263 0910	CONSTANT GEAR 27 T	(E)					■		■					
168	60530723	389 263 1210	CONSTANT GEAR 27 T.	(F)					■		■					
168	60530722	389 263 1110	CONSTANT GEAR 23 T.									■				
168	60531050	945 263 0810	CONSTANT GEAR 31 T											■		■
169	60530895	389 263 1513	DOUBLE GEAR 3RD/4TH SP.		■	■	■									
169	60530924	389 263 1113	DOUBLE GEAR 3RD/4TH SP.					■							■	
169	60530944	389 263 0313	DOUBLE GEAR 25/21 T	(C)					■	■	■	■				
169	60530945	389 263 1013	DOUBLE GEAR 25/21 T.	(DE)					■	■	■	■				
169	60530721	389 263 1413	DOUBLE GEAR 25/21 T.	(F)					■	■	■	■				
169	60530721	389 263 1413	DOUBLE GEAR 25/21 T.										■			
169	60531051	945 263 0513	DOUBLE GEAR 34/27 T	(B)										■		
169	60531319	945 263 0013	DOUBLE GEAR	(K)	■											■
170		389 263 0102	COUNTERSHAFT	(38)		■	■									
170	60530898	389 263 0702	COUNTERSHAFT 14/17 T	(39)	◆	■	■									
170	60530946	389 263 0302	COUNTERSHAFT	(C)	■				■	■	■	■				
170	60530947	389 263 0802	COUNTERSHAFT 17/14 T	(D)					■	■	■	■				
170	60530947	389 263 0802	COUNTERSHAFT 17/14 T										■			
170	60531036	389 263 2502	COUNTERSHAFT 21/16 T											■		■
171	60530925	389 263 0902	COUNTERSHAFT 12/17/21 T					■							■	
172	98530122	010 981 5205	BEARING		■	■	■									
172	98530104	010 981 5505	BEARING	OLD(Æ)	■				■	■	■	■	■	■	■	■
172		012 981 9205	BEARING	NEW												■
173		385 283 3152	WASHER S.0,10 MM			■	■									
173		389 283 0052	WASHER S.0,15 MM			■	■									
173		389 263 1952	WASHER S.0,60 MM			■	■									
173		389 263 2052	WASHER S.0,65 MM			■	■									
173		389 263 2152	WASHER S.0,70 MM			■	■									
173		389 263 2252	WASHER S.0,75 MM			■	■									

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
173		389 263 2352	WASHER S.0,80 MM			■	■									
173		389 263 2652	WASHER S.0,95 MM			■	■									
173		389 263 2452	WASHER S.0,85 MM			■	■									
173		389 263 2552	WASHER S.0,90 MM			■	■									
173		389 263 2752	WASHER S.1,00 MM			■	■									
173		389 263 2852	WASHER S.1,05 MM			■	■									
173		389 263 2952	WASHER S.1,10 MM			■	■									
173		389 263 3052	WASHER S.1,15 MM			■	■									
173		389 263 0152	WASHER S.0,10 MM					■	■	■	■	■	■	■	■	■
173		389 263 0452	WASHER S.0,40 MM					■	■	■	■	■	■	■	■	■
173		389 263 4052	WASHER S.0,60 MM					■	■	■	■	■	■	■	■	■
173		389 263 4152	WASHER S.0,65 MM					■	■	■	■	■	■	■	■	■
173	60531449	389 263 4252	WASHER S.0,70 MM		■			■	■	■	■	■	■	■	■	■
173		389 263 4352	WASHER S.0,75 MM					■	■	■	■	■	■	■	■	■
173		389 263 4452	WASHER S.0,85 MM					■	■	■	■	■	■	■	■	■
173		389 263 4552	WASHER S.0,90 MM					■	■	■	■	■	■	■	■	■
173		389 263 4652	WASHER S.0,95 MM					■	■	■	■	■	■	■	■	■
173		389 263 4752	WASHER S.1,00 MM					■	■	■	■	■	■	■	■	■
173		389 263 4852	WASHER S.1,05 MM					■	■	■	■	■	■	■	■	■
173		389 263 4952	WASHER S.1,10 MM					■	■	■	■	■	■	■	■	■
173		389 263 5052	WASHER S.1,15 MM					■	■	■	■	■	■	■	■	■
174	60531550	912009 045100	LOCK RING		■	■	■	■	■	■	■	■	■	■	■	■
175	60531195	389 269 1210	OIL PUMP SHAFT (60)		■	■	■	■	■	■	■	■	■	■	■	■
176	60531522	389 262 6254	RETAINER RING S.0,80 MM		■	■	■	■	■	■	■	■	■	■	■	■
176	60531523	389 262 6354	RETAINER RING S.0,85MM		■	■	■	■	■	■	■	■	■	■	■	■
176	60531524	389 262 5954	RETAINER RING S.0,90MM		■	■	■	■	■	■	■	■	■	■	■	■
176	60531525	389 262 5854	RETAINER RING S.0,95 MM		■	■	■	■	■	■	■	■	■	■	■	■
176		389 262 5754	RETAINER RING S.1,00 MM			■	■	■	■	■	■	■	■	■	■	■
176		389 262 5654	RETAINER RING S.1,05 MM			■	■	■	■	■	■	■	■	■	■	■
176		389 262 5554	RETAINER RING S.1,10 MM			■	■	■	■	■	■	■	■	■	■	■
176		389 262 5454	RETAINER RING S.1,15 MM			■	■	■	■	■	■	■	■	■	■	■
176		389 262 5354	RETAINER RING S.1,20 MM			■	■	■	■	■	■	■	■	■	■	■
176		389 262 5254	RETAINER RING S.1,25 MM			■	■	■	■	■	■	■	■	■	■	■
176		389 262 5154	RETAINER RING S.1,30 MM			■	■	■	■	■	■	■	■	■	■	■
177	60531060	389 260 0690	OIL PUMP			■	■	■	■	■	■	■	■	■	■	■

Notes / Note :

Continued

ALPHABETICAL NOTES

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6



Fig.	Our No.	Part No.	Description	Note	TP	G125-16/14,0	G135-16/11,9	G155-9/15,9	G155-16/11,9	G155-16/14,0	G180-16/11,9	G180-16/14,0	G200-16/11,9	G210-16/14,2	G0210-8/11,8	G240-16/11,7
178	98530103	004 981 8625	BEARING 45X75X16		NSS	■	■	■	■	■	■	■	■	■	■	■
179	95570194	000471 045000	LOCK RING		■	■	■	■	■	■	■	■	■	■	■	■
180	60530691	389 263 0062	THRUST WASHER	(V)		■	■	■	■	■	■	■		■		
181		389 263 0131	REVERSE GEAR	(V)		■	■									
181		389 263 1431	REVERSE GEAR	(U)		■	■									
181	60530926	389 263 0531	REVERSE GEAR	(V)	◆			■							■	
181	60531101	389 263 1631	REVERSE GEAR 19 T.	(U)				■							■	
181	60531029	389 263 0331	REVERSE GEAR	(V)	◆				■	■	■	■	■			
181	60530948	389 263 1531	REVERSE GEAR 18 T.	(U)					■	■	■	■	■			
181		389 263 1031	REVERSE GEAR											■		■
182	98530102	013 981 2210	NEEDLE BEARING 42X50X40MM		■	■	■									
182	98530101	012 981 8910	NEEDLE BEARING		■			■	■	■	■	■	■	■	■	■
183		389 263 0150	BUSH	(V)		■	■									
183		389 263 0950	BUSH	(U)		■	■									
183		389 263 0050	BUSH	(V)				■	■	■	■	■	■		■	■
183	60531098	389 263 0850	BUSH	(U)				■	■	■	■	■	■		■	■
183	60531098	389 263 0850	BUSH											■		■
184	60530896	389 263 0130	REVERSE PIN		■	■	■									
184	60530927	389 263 0330	REVERSE PIN		■			■							■	
184	60530949	389 263 0430	REVERSE PIN	(W)					■	■	■	■	■	■		■
184	60531074	976 263 0030	REVERSE GEAR PIN	(Z)					■	■	■	■	■	■		■
185	60531075	945 263 0041	KEY		■	■	■	■	■	■	■	■	■	■	■	■
186		013 981 0005	BEARING	OLD												■
186		015 981 6205	BEARING	NEW												■
186		015 981 7705	BEARING											■		
187		387 261 4580	GASKET	(8)				■							■	
188		015 997 2848	RING									■	■			■
189		000912 008130	SCREW 8X50	(64) 1 pc.												■
190		006 994 4241	LOCK RING	(64)												■
191		945 267 0019	CYLINDER	(64)												■
192		014 997 1248	SPACER	(64)												■
193		655 260 2823	FRONT HOUSING	(64)												■
194		389 262 1562	WASHER											■		■

Notes / Note :**ALPHABETICAL NOTES**

See pag. 1

NUMERICAL NOTES

See pag. 2-3-4-5

VARIOUS NOTES

See pag. 6

